

Depth of Field Metric

Hawk Anamorphic® V-Lite 45 mm T2.2



Aperture	T2.2		T2.8		T4		T5.6		T8		T11		T16	
Hyperfocal Distance	59.94		50.44		35.25		25.22		17.65		12.83		8.83	
Focus	near	far	near	far	near	far	near	far	near	far	near	far	near	far
INF	59.94	INF	50.44	INF	35.25	INF	25.22	INF	17.65	INF	12.83	INF	8.83	INF
40	23.99	INF	22.31	INF	18.74	INF	15.47	INF	12.25	INF	9.72	INF	7.23	INF
20	15.00	30.01	14.32	33.14	12.76	46.23	11.15	INF	9.38	INF	7.82	INF	6.12	INF
15	12.00	20.01	11.56	21.35	10.52	26.11	9.41	37.02	8.11	INF	6.92	INF	5.56	INF
10	8.57	12	8.35	12.47	7.79	13.96	7.16	16.57	6.38	23.07	5.62	45.31	4.69	INF
8	7.06	9.23	6.90	9.51	6.52	10.35	6.07	11.72	5.50	14.63	4.93	21.25	4.20	INF
7	6.27	7.93	6.15	8.13	5.84	8.73	5.48	9.69	5.01	11.60	4.53	15.40	3.90	33.85
6	5.45	6.67	5.36	6.81	5.13	7.23	4.85	7.87	4.48	9.09	4.09	11.27	3.57	18.74
5	4.62	5.46	4.55	5.55	4.38	5.83	4.17	6.24	3.90	6.98	3.60	8.19	3.19	11.54
4.5	4.19	4.87	4.13	4.94	3.99	5.16	3.82	5.48	3.59	6.04	3.33	6.93	2.98	9.18
4	3.75	4.29	3.71	4.34	3.59	4.51	3.45	4.75	3.26	5.17	3.05	5.81	2.75	7.32
3.5	3.31	3.72	3.27	3.76	3.18	3.89	3.07	4.06	2.92	4.37	2.75	4.81	2.51	5.80
3	2.86	3.16	2.83	3.19	2.76	3.28	2.68	3.41	2.56	3.61	2.43	3.92	2.24	4.54
2.75	2.63	2.88	2.61	2.91	2.55	2.98	2.48	3.09	2.38	3.26	2.26	3.50	2.10	3.99
2.5	2.40	2.61	2.38	2.63	2.33	2.69	2.27	2.78	2.19	2.91	2.09	3.10	1.95	3.49
2.25	2.17	2.34	2.15	2.36	2.12	2.40	2.07	2.47	2.00	2.58	1.91	2.73	1.79	3.02
2	1.94	2.07	1.92	2.08	1.89	2.12	1.85	2.17	1.80	2.26	1.73	2.37	1.63	2.59
1.9	1.84	1.96	1.83	1.97	1.80	2.01	1.77	2.05	1.72	2.13	1.65	2.23	1.56	2.42
1.8	1.75	1.86	1.74	1.87	1.71	1.90	1.68	1.94	1.63	2	1.58	2.09	1.50	2.26
1.7	1.65	1.75	1.64	1.76	1.62	1.79	1.59	1.82	1.55	1.88	1.50	1.96	1.43	2.11
1.6	1.56	1.64	1.55	1.65	1.53	1.68	1.50	1.71	1.47	1.76	1.42	1.83	1.35	1.95
1.5	1.46	1.54	1.46	1.55	1.44	1.57	1.42	1.59	1.38	1.64	1.34	1.70	1.28	1.81
1.4	1.37	1.43	1.36	1.44	1.35	1.46	1.33	1.48	1.30	1.52	1.26	1.57	1.21	1.66
1.3	1.27	1.33	1.27	1.33	1.25	1.35	1.24	1.37	1.21	1.40	1.18	1.45	1.13	1.52
1.2	1.18	1.22	1.17	1.23	1.16	1.24	1.15	1.26	1.12	1.29	1.10	1.32	1.06	1.39
1.1	1.08	1.12	1.08	1.12	1.07	1.14	1.05	1.15	1.04	1.17	1.01	1.20	0.98	1.26
1	0.98	1.02	0.98	1.02	0.97	1.03	0.96	1.04	0.95	1.06	0.93	1.08	0.90	1.13

Circle of Confusion: 0.012 mm

ATTENTION
Circle of Confusion 0.012 mm
16 mm Film Format



Made in Germany by Vantage Film GmbH

For further information contact Vantage Film, Phone +49 961 26795, Fax +49 961 62983, www.vantagefilm.com

Depth of Field Metric

Hawk Anamorphic® V-Lite 55 mm T2.2



Aperture	T2.2		T2.8		T4		T5.6		T8		T11		T16	
Hyperfocal Distance	86.91		73.13		51.11		36.56		25.59		18.60		12.79	
Focus	near	far	near	far	near	far	near	far	near	far	near	far	near	far
INF	86.91	INF	73.13	INF	51.11	INF	36.56	INF	25.59	INF	18.60	INF	12.79	INF
40	27.39	74.11	25.86	88.30	22.44	INF	19.10	INF	15.61	INF	12.70	INF	9.69	INF
20	16.26	25.98	15.70	27.53	14.37	32.86	12.93	44.15	11.23	91.56	9.64	INF	7.80	INF
15	12.79	18.13	12.45	18.87	11.60	21.23	10.64	25.43	9.46	36.25	8.30	77.44	6.91	INF
10	8.97	11.30	8.80	11.58	8.36	12.43	7.85	13.76	7.19	16.41	6.50	21.62	5.61	45.78
8	7.33	8.81	7.21	8.98	6.92	9.48	6.56	10.24	6.09	11.64	5.59	14.04	4.92	21.35
7	6.48	7.61	6.39	7.74	6.16	8.11	5.88	8.66	5.50	9.64	5.09	11.22	4.52	15.46
6	5.61	6.44	5.55	6.54	5.37	6.80	5.15	7.18	4.86	7.84	4.54	8.86	4.08	11.30
5	4.73	5.31	4.68	5.37	4.55	5.54	4.40	5.79	4.18	6.21	3.94	6.84	3.60	8.21
4.5	4.28	4.75	4.24	4.80	4.14	4.93	4.01	5.13	3.83	5.46	3.62	5.94	3.33	6.94
4	3.82	4.19	3.79	4.23	3.71	4.34	3.61	4.49	3.46	4.74	3.29	5.10	3.05	5.82
3.5	3.36	3.65	3.34	3.68	3.28	3.76	3.19	3.87	3.08	4.05	2.95	4.31	2.75	4.82
3	2.90	3.11	2.88	3.13	2.83	3.19	2.77	3.27	2.69	3.40	2.58	3.58	2.43	3.92
2.75	2.67	2.84	2.65	2.86	2.61	2.91	2.56	2.97	2.48	3.08	2.40	3.23	2.26	3.50
2.5	2.43	2.57	2.42	2.59	2.38	2.63	2.34	2.68	2.28	2.77	2.20	2.89	2.09	3.11
2.25	2.19	2.31	2.18	2.32	2.16	2.35	2.12	2.40	2.07	2.47	2.01	2.56	1.91	2.73
2	1.96	2.05	1.95	2.06	1.92	2.08	1.90	2.12	1.86	2.17	1.81	2.24	1.73	2.37
1.9	1.86	1.94	1.85	1.95	1.83	1.97	1.81	2	1.77	2.05	1.72	2.12	1.65	2.23
1.8	1.76	1.84	1.76	1.85	1.74	1.87	1.72	1.89	1.68	1.94	1.64	1.99	1.58	2.09
1.7	1.67	1.73	1.66	1.74	1.65	1.76	1.62	1.78	1.59	1.82	1.56	1.87	1.50	1.96
1.6	1.57	1.63	1.57	1.64	1.55	1.65	1.53	1.67	1.51	1.71	1.47	1.75	1.42	1.83
1.5	1.47	1.53	1.47	1.53	1.46	1.55	1.44	1.56	1.42	1.59	1.39	1.63	1.34	1.70
1.4	1.38	1.42	1.37	1.43	1.36	1.44	1.35	1.46	1.33	1.48	1.30	1.51	1.26	1.57
1.3	1.28	1.32	1.28	1.32	1.27	1.33	1.26	1.35	1.24	1.37	1.22	1.40	1.18	1.45
1.2	1.18	1.22	1.18	1.22	1.17	1.23	1.16	1.24	1.15	1.26	1.13	1.28	1.10	1.32
1.1	1.09	1.11	1.08	1.12	1.08	1.12	1.07	1.13	1.05	1.15	1.04	1.17	1.01	1.20
1	0.99	1.01	0.99	1.01	0.98	1.02	0.97	1.03	0.96	1.04	0.95	1.06	0.93	1.08

Circle of Confusion: 0.012 mm

ATTENTION
Circle of Confusion 0.012 mm
16 mm Film Format



Made in Germany by Vantage Film GmbH

For further information contact Vantage Film, Phone +49 961 26795, Fax +49 961 62983, www.vantagefilm.com

**Depth of Field
Metric**

Hawk Anamorphic® V-Lite 65 mm T2.2



Aperture	T2.2		T2.8		T4		T5.6		T8		T11		T16	
Hyperfocal Distance	118.86		100.02		69.90		50.01		35.00		25.44		17.50	
Focus	near	far	near	far	near	far	near	far	near	far	near	far	near	far
INF	118.86	INF	100.02	INF	69.90	INF	50.01	INF	35.00	INF	25.44	INF	17.50	INF
40	29.93	60.29	28.57	66.66	25.44	93.51	22.22	INF	18.67	INF	15.55	INF	12.17	INF
20	17.12	24.05	16.67	25.00	15.55	28.02	14.29	33.33	12.73	46.67	11.20	93.47	9.33	INF
15	13.32	17.17	13.04	17.65	12.35	19.10	11.54	21.43	10.50	26.25	9.44	36.54	8.08	105.01
10	9.22	10.92	9.09	11.11	8.75	11.67	8.33	12.50	7.78	14	7.18	16.47	6.36	23.33
8	7.50	8.58	7.41	8.70	7.18	9.03	6.90	9.52	6.51	10.37	6.09	11.67	5.49	14.74
7	6.61	7.44	6.54	7.53	6.36	7.78	6.14	8.14	5.83	8.75	5.49	9.66	5.00	11.67
6	5.71	6.32	5.66	6.38	5.53	6.56	5.36	6.82	5.12	7.24	4.86	7.85	4.47	9.13
5	4.80	5.22	4.76	5.26	4.67	5.39	4.55	5.56	4.37	5.83	4.18	6.22	3.89	7
4.5	4.34	4.68	4.31	4.71	4.23	4.81	4.13	4.94	3.99	5.16	3.82	5.47	3.58	6.06
4	3.87	4.14	3.85	4.17	3.78	4.24	3.70	4.35	3.59	4.52	3.46	4.75	3.26	5.19
3.5	3.40	3.61	3.38	3.63	3.33	3.68	3.27	3.76	3.18	3.89	3.08	4.06	2.92	4.38
3	2.93	3.08	2.91	3.09	2.88	3.13	2.83	3.19	2.76	3.28	2.68	3.40	2.56	3.62
2.75	2.69	2.82	2.68	2.83	2.65	2.86	2.61	2.91	2.55	2.98	2.48	3.08	2.38	3.26
2.5	2.45	2.55	2.44	2.56	2.41	2.59	2.38	2.63	2.33	2.69	2.28	2.77	2.19	2.92
2.25	2.21	2.29	2.20	2.30	2.18	2.32	2.15	2.36	2.11	2.40	2.07	2.47	1.99	2.58
2	1.97	2.03	1.96	2.04	1.94	2.06	1.92	2.08	1.89	2.12	1.85	2.17	1.79	2.26
1.9	1.87	1.93	1.86	1.94	1.85	1.95	1.83	1.98	1.80	2.01	1.77	2.05	1.71	2.13
1.8	1.77	1.83	1.77	1.83	1.75	1.85	1.74	1.87	1.71	1.90	1.68	1.94	1.63	2.01
1.7	1.68	1.72	1.67	1.73	1.66	1.74	1.64	1.76	1.62	1.79	1.59	1.82	1.55	1.88
1.6	1.58	1.62	1.57	1.63	1.56	1.64	1.55	1.65	1.53	1.68	1.51	1.71	1.47	1.76
1.5	1.48	1.52	1.48	1.52	1.47	1.53	1.46	1.55	1.44	1.57	1.42	1.59	1.38	1.64
1.4	1.38	1.42	1.38	1.42	1.37	1.43	1.36	1.44	1.35	1.46	1.33	1.48	1.30	1.52
1.3	1.29	1.31	1.28	1.32	1.28	1.32	1.27	1.33	1.25	1.35	1.24	1.37	1.21	1.40
1.2	1.19	1.21	1.19	1.21	1.18	1.22	1.17	1.23	1.16	1.24	1.15	1.26	1.12	1.29
1.1	1.09	1.11	1.09	1.11	1.08	1.12	1.08	1.12	1.07	1.14	1.05	1.15	1.03	1.17
1	0.99	1.01	0.99	1.01	0.99	1.01	0.98	1.02	0.97	1.03	0.96	1.04	0.95	1.06

Circle of Confusion: 0.012 mm

ATTENTION
Circle of Confusion 0.012 mm
16 mm Film Format



**Depth of
Field
Metric**

Hawk Anamorphic® V-Lite 80 mm T2.2



Aperture	T2.2		T2.8		T4		T5.6		T8		T11		T16	
Hyperfocal Distance	151.89		127.81		89.32		63.91		44.73		32.51		22.36	
Focus	near	far	near	far	near	far	near	far	near	far	near	far	near	far
INF	151.89	INF	127.81	INF	89.32	INF	63.91	INF	44.73	INF	32.51	INF	22.36	INF
40	31.66	54.30	30.47	58.22	27.63	72.44	24.60	106.93	21.12	INF	17.94	INF	14.34	INF
20	17.67	23.03	17.29	23.71	16.34	25.77	15.23	29.11	13.82	36.18	12.38	51.96	10.56	INF
15	13.65	16.64	13.42	16.99	12.84	18.03	12.15	19.60	11.23	22.57	10.26	27.85	8.98	45.56
10	9.38	10.70	9.27	10.85	8.99	11.26	8.65	11.86	8.17	12.88	7.65	14.44	6.91	18.09
8	7.60	8.44	7.53	8.53	7.34	8.79	7.11	9.14	6.79	9.74	6.42	10.61	5.89	12.46
7	6.69	7.34	6.64	7.41	6.49	7.60	6.31	7.86	6.05	8.30	5.76	8.92	5.33	10.19
6	5.77	6.25	5.73	6.30	5.62	6.43	5.49	6.62	5.29	6.93	5.07	7.36	4.73	8.20
5	4.84	5.17	4.81	5.20	4.73	5.30	4.64	5.42	4.50	5.63	4.33	5.91	4.09	6.44
4.5	4.37	4.64	4.35	4.66	4.28	4.74	4.20	4.84	4.09	5	3.95	5.22	3.75	5.63
4	3.90	4.11	3.88	4.13	3.83	4.19	3.76	4.27	3.67	4.39	3.56	4.56	3.39	4.87
3.5	3.42	3.58	3.41	3.60	3.37	3.64	3.32	3.70	3.25	3.80	3.16	3.92	3.03	4.15
3	2.94	3.06	2.93	3.07	2.90	3.10	2.87	3.15	2.81	3.22	2.75	3.30	2.65	3.46
2.75	2.70	2.80	2.69	2.81	2.67	2.84	2.64	2.87	2.59	2.93	2.54	3	2.45	3.14
2.5	2.46	2.54	2.45	2.55	2.43	2.57	2.41	2.60	2.37	2.65	2.32	2.71	2.25	2.81
2.25	2.22	2.28	2.21	2.29	2.19	2.31	2.17	2.33	2.14	2.37	2.10	2.42	2.04	2.50
2	1.97	2.03	1.97	2.03	1.96	2.05	1.94	2.06	1.91	2.09	1.88	2.13	1.84	2.20
1.9	1.88	1.92	1.87	1.93	1.86	1.94	1.85	1.96	1.82	1.98	1.80	2.02	1.75	2.08
1.8	1.78	1.82	1.78	1.83	1.76	1.84	1.75	1.85	1.73	1.88	1.71	1.91	1.67	1.96
1.7	1.68	1.72	1.68	1.72	1.67	1.73	1.66	1.75	1.64	1.77	1.62	1.79	1.58	1.84
1.6	1.58	1.62	1.58	1.62	1.57	1.63	1.56	1.64	1.54	1.66	1.52	1.68	1.49	1.72
1.5	1.49	1.51	1.48	1.52	1.48	1.53	1.47	1.54	1.45	1.55	1.43	1.57	1.41	1.61
1.4	1.39	1.41	1.38	1.42	1.38	1.42	1.37	1.43	1.36	1.45	1.34	1.46	1.32	1.49
1.3	1.29	1.31	1.29	1.31	1.28	1.32	1.27	1.33	1.26	1.34	1.25	1.35	1.23	1.38
1.2	1.19	1.21	1.19	1.21	1.18	1.22	1.18	1.22	1.17	1.23	1.16	1.25	1.14	1.27
1.1	1.09	1.11	1.09	1.11	1.09	1.11	1.08	1.12	1.07	1.13	1.06	1.14	1.05	1.16
1	0.99	1.01	0.99	1.01	0.99	1.01	0.98	1.02	0.98	1.02	0.97	1.03	0.96	1.05

Circle of Confusion: 0.012 mm

ATTENTION
Circle of Confusion 0.012 mm
16 mm Film Format



Made in Germany by Vantage Film GmbH

For further information contact Vantage Film, Phone +49 961 26795, Fax +49 961 62983, www.vantagefilm.com

**Depth of
Field
Metric**

Hawk Anamorphic® V-Lite 110mm T3



Aperture	T3		T4		T5.6		T8		T11		T16	
Hyperfocal Distance	178.05		161.87		115.81		81.05		58.92		40.52	
Focus	near	far	near	far	near	far	near	far	near	far	near	far
INF	178.05	INF	161.87	INF	115.81	INF	81.05	INF	58.92	INF	40.52	INF
40	32.66	51.59	32.07	53.13	29.73	61.11	26.78	78.98	23.83	124.56	20.13	INF
20	17.98	22.53	17.80	22.82	17.05	24.18	16.04	26.55	14.93	30.28	13.39	39.49
15	13.83	16.38	13.73	16.53	13.28	17.23	12.66	18.41	11.96	20.12	10.95	23.82
10	9.47	10.60	9.42	10.66	9.21	10.95	8.90	11.41	8.55	12.04	8.02	13.28
8	7.66	8.38	7.62	8.42	7.48	8.59	7.28	8.88	7.04	9.26	6.68	9.97
7	6.74	7.29	6.71	7.32	6.60	7.45	6.44	7.66	6.26	7.94	5.97	8.46
6	5.80	6.21	5.79	6.23	5.70	6.33	5.59	6.48	5.45	6.68	5.23	7.04
5	4.86	5.14	4.85	5.16	4.79	5.23	4.71	5.33	4.61	5.46	4.45	5.70
4.5	4.39	4.62	4.38	4.63	4.33	4.68	4.26	4.76	4.18	4.87	4.05	5.06
4	3.91	4.09	3.90	4.10	3.87	4.14	3.81	4.21	3.75	4.29	3.64	4.44
3.5	3.43	3.57	3.43	3.58	3.40	3.61	3.36	3.66	3.30	3.72	3.22	3.83
3	2.95	3.05	2.95	3.06	2.92	3.08	2.89	3.12	2.85	3.16	2.79	3.24
2.75	2.71	2.79	2.70	2.80	2.69	2.82	2.66	2.85	2.63	2.88	2.58	2.95
2.5	2.47	2.54	2.46	2.54	2.45	2.56	2.43	2.58	2.40	2.61	2.35	2.66
2.25	2.22	2.28	2.22	2.28	2.21	2.29	2.19	2.31	2.17	2.34	2.13	2.38
2	1.98	2.02	1.98	2.03	1.97	2.04	1.95	2.05	1.93	2.07	1.91	2.10
1.9	1.88	1.92	1.88	1.92	1.87	1.93	1.86	1.95	1.84	1.96	1.81	1.99
1.8	1.78	1.82	1.78	1.82	1.77	1.83	1.76	1.84	1.75	1.86	1.72	1.88
1.7	1.68	1.72	1.68	1.72	1.68	1.73	1.67	1.74	1.65	1.75	1.63	1.77
1.6	1.59	1.61	1.58	1.62	1.58	1.62	1.57	1.63	1.56	1.64	1.54	1.67
1.5	1.49	1.51	1.49	1.51	1.48	1.52	1.47	1.53	1.46	1.54	1.45	1.56
1.4	1.39	1.41	1.39	1.41	1.38	1.42	1.38	1.42	1.37	1.43	1.35	1.45
1.3	1.29	1.31	1.29	1.31	1.29	1.31	1.28	1.32	1.27	1.33	1.26	1.34
1.2	1.19	1.21	1.19	1.21	1.19	1.21	1.18	1.22	1.18	1.22	1.17	1.24
1.1	1.09	1.11	1.09	1.11	1.09	1.11	1.09	1.12	1.08	1.12	1.07	1.13
1	0.99	1.01	0.99	1.01	0.99	1.01	0.99	1.01	0.98	1.02	0.98	1.03

Circle of Confusion: 0.012 mm

ATTENTION
Circle of Confusion 0.012 mm
16 mm Film Format



**Depth of
Field
Metric**

Hawk Anamorphic®

V-Lite 140mm T3.5



Aperture	T3.5		T4		T5.6		T8		T11		T16	
Hyperfocal Distance	250.80		215.80		175.09		132		95.96		66	
Focus	near	far	near	far	near	far	near	far	near	far	near	far
INF	250.80	INF	215.80	INF	175.09	INF	132	INF	95.96	INF	66	INF
40	34.50	47.59	33.75	49.10	32.56	51.84	30.70	57.39	28.23	68.59	24.91	101.54
20	18.52	21.73	18.30	22.04	17.95	22.58	17.37	23.57	16.55	25.27	15.35	28.70
15	14.15	15.95	14.03	16.12	13.82	16.41	13.47	16.92	12.97	17.78	12.22	19.41
10	9.62	10.42	9.56	10.49	9.46	10.61	9.30	10.82	9.06	11.16	8.68	11.79
8	7.75	8.26	7.71	8.31	7.65	8.38	7.54	8.52	7.38	8.73	7.14	9.10
7	6.81	7.20	6.78	7.23	6.73	7.29	6.65	7.39	6.52	7.55	6.33	7.83
6	5.86	6.15	5.84	6.17	5.80	6.21	5.74	6.29	5.65	6.40	5.50	6.60
5	4.90	5.10	4.89	5.12	4.86	5.15	4.82	5.20	4.75	5.27	4.65	5.41
4.5	4.42	4.58	4.41	4.60	4.39	4.62	4.35	4.66	4.30	4.72	4.21	4.83
4	3.94	4.06	3.93	4.08	3.91	4.09	3.88	4.12	3.84	4.17	3.77	4.26
3.5	3.45	3.55	3.44	3.56	3.43	3.57	3.41	3.60	3.38	3.63	3.32	3.70
3	2.96	3.04	2.96	3.04	2.95	3.05	2.93	3.07	2.91	3.10	2.87	3.14
2.75	2.72	2.78	2.72	2.79	2.71	2.79	2.69	2.81	2.67	2.83	2.64	2.87
2.5	2.48	2.53	2.47	2.53	2.46	2.54	2.45	2.55	2.44	2.57	2.41	2.60
2.25	2.23	2.27	2.23	2.27	2.22	2.28	2.21	2.29	2.20	2.30	2.18	2.33
2	1.98	2.02	1.98	2.02	1.98	2.02	1.97	2.03	1.96	2.04	1.94	2.06
1.9	1.89	1.91	1.88	1.92	1.88	1.92	1.87	1.93	1.86	1.94	1.85	1.96
1.8	1.79	1.81	1.79	1.82	1.78	1.82	1.78	1.82	1.77	1.83	1.75	1.85
1.7	1.69	1.71	1.69	1.71	1.68	1.72	1.68	1.72	1.67	1.73	1.66	1.74
1.6	1.59	1.61	1.59	1.61	1.59	1.61	1.58	1.62	1.57	1.63	1.56	1.64
1.5	1.49	1.51	1.49	1.51	1.49	1.51	1.48	1.52	1.48	1.52	1.47	1.53
1.4	1.39	1.41	1.39	1.41	1.39	1.41	1.39	1.42	1.38	1.42	1.37	1.43
1.3	1.29	1.31	1.29	1.31	1.29	1.31	1.29	1.31	1.28	1.32	1.27	1.33
1.2	1.19	1.21	1.19	1.21	1.19	1.21	1.19	1.21	1.19	1.22	1.18	1.22
1.1	1.10	1.10	1.09	1.11	1.09	1.11	1.09	1.11	1.09	1.11	1.08	1.12
1	1.00	1	1.00	1	0.99	1.01	0.99	1.01	0.99	1.01	0.99	1.02

Circle of Confusion: 0.012 mm

ATTENTION
Circle of Confusion 0.012 mm
16 mm Film Format



Made in Germany by Vantage Film GmbH

For further information contact Vantage Film, Phone +49 961 26795, Fax +49 961 62983, www.vantagefilm.com