

VANTAGE LENS TABLE

– COMPLETE OVERVIEW –

PL-Mount, unless stated otherwise.

HAWK® ANAMORPHICS 2x Squeeze **HAWK**®

Lens	Focal Length	Aperture	Cfd
HAWK class-X 2x	28 mm	T2.2	0.80 m
	35 mm	T2.2	0.75 m
	45 mm	T2.2	0.75 m
	55 mm	T2.2	0.75 m
	55 mm	T2.2	0.35 m
	65 mm	T2.2	0.50 m
	80 mm	T2.2	0.75 m
	110 mm	T2.2	0.75 m
	140 mm	T2.2	0.75 m
HAWK class-X 2:1 Zoom	38-80 mm	T2.8	0.62 m
HAWK class-X 2:1 Zoom	80-180 mm	T2.8	1.00 m
HAWK V-Lite 2x	28 mm	T2.2	0.80 m
	35 mm	T2.2	1.00 m
	45 mm	T2.2	1.00 m
	55 mm	T2.2	1.00 m
	55 mm	T2.2	0.35 m
	65 mm	T2.2	1.00 m
	80 mm	T2.2	1.00 m
	110 mm	T3	1.00 m
	140 mm	T3.5	1.00 m
HAWK V-Plus 2x	35 mm	T2.2	0.75 m
	40 mm	T2.2	0.75 m
	50 mm	T2.2	0.60 m
	65 mm	T2.2	0.35 m
	75 mm	T2.2	0.60 m
	85 mm	T2.2	0.60 m
	100 mm	T2.2	1.00 m
	120 mm	T3.5	0.42 m
	135 mm	T3	1.00 m
HAWK 2:1 Zoom	45-90 mm	T2.8	0.75 m
	80-180 mm	T2.8	1.00 m




HAWK® ANAMORPHICS 2x CONTINUED



Lens	Focal Length	Aperture	Cfd
HAWK V-Lite Vintage'74 Macro	28 mm	T2.3	0.80 m
	35 mm	T2.3	1.00 m
	45 mm	T2.3	1.00 m
	55 mm	T2.3	1.00 m
	55 mm	T2.3	0.35 m
	65 mm	T2.3	1.00 m
	80 mm	T2.3	1.00 m
	110 mm	T3.1	1.00 m
	140 mm	T3.7	1.00 m
HAWK V-Plus 2:1 Zoom	45-90 mm	T2.9	0.75 m
HAWK V-Plus 2:1 Zoom	80-180 mm	T2.9	1.00 m
HAWK V-Series	25 mm	T2.2	0.60 m
	30 mm	T2.2	0.80 m
	35 mm	T2.2	0.75 m
	40 mm	T2.2	0.75 m
	50 mm	T2.2	0.60 m
	60 mm	T2.2	0.60 m
	75 mm	T2.2	0.60 m
	100 mm	T2.2	1.00 m
	135 mm	T3	1.00 m
	180 mm	T3	2.00 m
	250 mm	T3	2.00 m
1.4x Extender for 250mm	gives 350 mm	T4.2	2.00 m
HAWK 5:1 Zoom	46-230 mm	T4	0.40 m
HAWK 3:1 Zoom	300-900 mm	T4	3.00 m
HAWK C-Series	40 mm	T2.2	1.00 m
	50 mm	T2.2	1.00 m
	60 mm	T2.2	1.00 m
	75 mm	T2.2	1.00 m
	100 mm	T3	1.00 m
HAWK 3:1 Zoom	55-165 mm	T4	1.00 m

HAWK

V-Lite Vintage'74 55 mm
T2.3



HAWK

V-Lite Vintage'74 Macro 55 mm
T2.3



HAWK

V-Series 50 mm/T2.2



HAWK

C-Series 40 mm/T2.2



HAWK

C-Series 3x55 Zoom
55-165 mm/T4



HAWK

V-Series 5x46 Zoom
46-230 mm/T4



HAWK

V-Plus Vintage'74 Zoom
45-90 mm/T2.9



OTHER ANAMORPHICS 2x

HAWK®

Lens	Focal Length	Aperture	Cfd
T-REX Superscope Hawk Anamorphic 2x	20 mm	T8	0.14 m
	28 mm	T8	0.14 m
	35 mm	T8	0.14 m
	50 mm	T8	0.14 m
	80 mm	T8	0.21 m
	150 mm	T8	0.44 m
HAWK Swing/Shift System 2x	100 mm	T5.6	0.28 m
	160 mm	T4	0.34 m
	220 mm	T3.5	0.58 m
HAWK Rear Attachment		+1 Stop	–
HAWK Rear Attachment – Optimo		+1 Stop	–
ARRI Slant Focus 2x	90 mm	T4	0.38 m
	180 mm	T4	0.51 m
ANGÉNIEUX Hawk Optimo 2x	48-580 mm	T4	1.20 m
ANGÉNIEUX Optimo 2x	30-72 mm	T4	0.65 m
	56-152 mm	T4	0.60 m
ANGÉNIEUX Hawk Anamorphic 2x	34-204 mm	T4.2	0.75 m
	50-500 mm	T5.1	1.70 m
CANON Hawk Anamorphic 2x	600 mm	T4	2.80 m
	800 mm	T4	3.60 m
	1000 mm	T6.3	5.00 m
	1600 mm	T8	14.00 m
CENTURY Hawk Anamorphic 2x	2000 mm	T8	14.00 m
NIKON Hawk Anamorphic 2x	600 mm	T2.8 High Speed	3.90 m
	600 mm	T4	3.60 m
	800 mm	T4	3.60 m
	1200 mm	T5.6	6.50 m



HAWK
Rear
Attachment



ARRI
Hawk Anamorphic
Slant Focus 90 mm/T4



ANGÉNIEUX
56-152 mm/T4 Optimo



CANON
Hawk Anamorphic
600 mm/T4



NIKON
Hawk Anamorphic
600 mm/T2.8



NIKON
Hawk Anamorphic
800 mm/T4



ANGÉNIEUX
48-580 mm/T4 Optimo
Hawk Anamorphic



T-REX
Superscope/T8 Hawk Anamorphic

HAWK® ANAMORPHICS 1.3x Squeeze HAWK®

Lens		Focal Length	Aperture	Cfd	
HAWK65 LPL-Mount	1.3x	LARGE FORMAT	40mm	T2.2	1.00m
			45mm	T2.2	1.00m
			50mm	T2.2	0.80m
			60mm	T2.2	1.00m
			70mm	T2.2	1.00m
			80mm	T2.8	0.80m
			95mm	T2.8	1.00m
			120mm	T2.8	1.00m
			150mm	T2.8	1.00m
HAWK65 Vintage'74 LPL-Mount	1.3x	LARGE FORMAT	40mm	T2.6	1.00m
			45mm	T2.6	1.00m
			50mm	T2.6	0.80m
			60mm	T2.6	1.00m
			70mm	T2.6	1.00m
			80mm	T3.2	0.80m
			95mm	T3.2	1.00m
			120mm	T3.6	1.00m
			150mm	T3.6	1.00m
HAWK V-Lite Macro	1.3x		20mm	T2.2	0.60m
			24mm	T2.2	0.60m
			28mm	T2.2	0.80 m
			35mm	T2.2	1.00m
			45mm	T2.2	1.00m
			55mm	T2.2	1.00m
			55mm	T2.2	0.35m
			65mm	T2.2	1.00m
			80mm	T2.2	1.00m
			110mm	T3	1.00m
			140mm	T3.5	1.00m
HAWK V-Plus 2:1 Zoom		30-60mm	T2.8	0.60 m	
HAWK V-Plus 2:1 Zoom		45-90mm	T2.8	0.75 m	
HAWK V-Plus 2:1 Zoom		80-180mm	T2.8	1.00m	



HAWK® ANAMORPHICS 1.3x CONTINUED



Lens		Focal Length	Aperture	Cfd
HAWK® V-Lite Vintage'74	1.3x	20 mm	T2.3	0.60 m
		24 mm	T2.3	0.60 m
		28 mm	T2.3	0.80 m
		35 mm	T2.3	1.00 m
		45 mm	T2.3	1.00 m
		55 mm	T2.3	1.00 m
		55 mm	T2.3	0.35 m
		65 mm	T2.3	1.00 m
		80 mm	T2.3	1.00 m
		110 mm	T3.1	1.00 m
Macro		140 mm	T3.7	1.00 m
HAWK® V-Plus 2:1 Zooms	1.3x	30-60 mm	T2.9	0.60 m
		45-90 mm	T2.9	0.75 m
		80-180 mm	T2.9	1.00 m
ANGÉNIEUX Hawk Optimo	1.3x	32-380 mm	T3.2	1.20 m
ANGÉNIEUX Hawk	1.3x	22-130 mm	T3.4	0.75 m
		32.5-325 mm	T3.9	1.70 m
CANON Hawk	1.3x	400 mm	T3.2	2.80 m
		500 mm	T3.2	3.60 m
		1000 mm	T6.2	14.00 m
CENTURY Hawk	1.3x	1300 mm	T6.2	14.00 m
HAWK Telephoto Zoom	1.3x	200-600mm	T3.2	3.00 m
NIKON Hawk	1.3x	260 mm	T2.3	2.40 m
		400 mm	T2.3 High Speed	3.90 m
		400 mm	T3.2	3.60 m
		500 mm	T3.2	3.60 m
		800 mm	T4.5	6.50 m
HAWK Clairmont Swing/Shift System	1.3x	65 mm	T4.5	0.28 m
		100 mm	T3.2	0.34 m
		150 mm	T2.6	0.58 m
T-Rex Superscope Hawk Anamorphic	1.3x	14 mm	T6.2	0.14 m
		19 mm	T6.2	0.14 m
		24 mm	T6.2	0.14 m
		35 mm	T6.2	0.14 m
		55 mm	T6.2	0.21 m
		100 mm	T6.2	0.44 m

HAWK

V-Lite Vintage'74 1.3x
55 mm/T2.3



HAWK

V-Lite Vintage'74 1.3x Macro
55 mm/T2.3



HAWK

V-Plus Vintage'74 1.3x Zoom
45-90 mm/T2.9



ANGÉNIEUX

Hawk Anamorphic 1.3x
32-380mm/T3.2 Optimo



CANON

Hawk Anamorphic 1.3x
400 mm/T3.2



NIKON

Hawk Anamorphic 1.3x
500 mm/T3.2



T-Rex HAWK ANAMORPHIC

Superscope 1.3x /T6.2



SPHERICAL LENSES

Lens		Focal Length	Aperture	Cfd
MiniHAWK Hybrid Anamorphics	1x	29 mm	T1.7	0.25 m
		35 mm	T1.7	0.25 m
		40 mm	T1.7	0.25 m
		50 mm	T1.7	0.25 m
		65 mm	T1.7	0.25 m
		80 mm	T1.7	0.35 m
		100 mm	T1.7	0.35 m
		135 mm	T1.7	0.35 m
		180 mm	T1.7	0.50 m
HAWK MHX Hybrid Anamorphics LPL-Mount	1x	28 mm	T1.9	0.25 m
		35 mm	T1.9	0.30 m
		45 mm	T1.9	0.25 m
		65 mm	T1.9	0.35 m
		85 mm	T1.9	0.40 m
		105 mm	T1.9	0.50 m
		135 mm	T1.9	0.70 m
		180 mm	T1.9	0.92 m
VANTAGE One	1x	14.5 mm	T1	0.25 m
		17.5 mm	T1	0.25 m
		21 mm	T1	0.25 m
		25 mm	T1	0.25 m
		32 mm	T1	0.25 m
		40 mm	T1	0.34 m
		50 mm	T1	0.34 m
		65 mm	T1	0.34 m
		90 mm	T1	0.50 m
		120 mm	T1	0.75 m
VANTAGE One PU partially uncoated	1x	14.5 mm	T1	0.25 m
		17.5 mm	T1	0.25 m
		21 mm	T1	0.25 m
		25 mm	T1	0.25 m
		32 mm	T1	0.25 m
		40 mm	T1	0.34 m
		50 mm	T1	0.34 m
		65 mm	T1	0.34 m
		90 mm	T1	0.50 m
		120 mm	T1	0.75 m
VANTAGE One4 LPL-Mount	1x	22 mm	T1.4	0.25 m
		27 mm	T1.4	0.30 m
		35 mm	T1.4	0.25 m
		50 mm	T1.4	0.35 m
		65 mm	T1.4	0.40 m
		80 mm	T1.4	0.50 m
		105 mm	T1.4	0.70 m
		140 mm	T1.4	0.92 m

HAWK

MiniHawk
Hybrid Anamorphics
40 mm/T1.7



HAWK

Hawk MHX, 65 mm/T1.9
LARGE FORMAT



VANTAGE

Vantage One 50 mm/T1



VANTAGE

Vantage One PU, partially uncoated
65 mm/T1



VANTAGE

Vantage One4, 35 mm/T1.4
LARGE FORMAT



SPHERICAL LENSES CONTINUED

Lens	Focal Length	Aperture	Cfd
COOKE 5/i	18 mm	T1.4	0.35m
	25 mm	T1.4	0.35m
	32 mm	T1.4	0.35m
	40 mm	T1.4	0.40m
	50 mm	T1.4	0.50m
	65 mm	T1.4	0.60m
	75 mm	T1.4	0.65m
	100 mm	T1.4	0.75m
COOKE S4	12 mm	T2	0.20m
	14 mm	T2	0.20m
	16 mm	T2	0.25m
	18 mm	T2	0.22m
	21 mm	T2	0.22m
	25 mm	T2	0.22m
	27 mm	T2	0.25m
	32 mm	T2	0.30m
	35 mm	T2	0.34m
	40 mm	T2	0.39m
	50 mm	T2	0.50m
	65 mm	T2	0.70m
	75 mm	T2	0.75m
	100 mm	T2	0.90m
	135 mm	T2	0.77m
	150 mm	T2	1.00m
	180 mm	T2	1.24m
Soft Focus Attachment	for 65 mm	T2	0.70m
	& 75 mm	T2	0.75m
COOKE Mini S4	18 mm	T2.8	0.25m
	25 mm	T2.8	0.25m
	32 mm	T2.8	0.30m
	40 mm	T2.8	0.40m
	50 mm	T2.8	0.50m
	75 mm	T2.8	0.75m
	100 mm	T2.8	0.90m
	135 mm	T2.8	1.00m
LEICA Summilux C Prime	16 mm	T1.4	0.35m
	18 mm	T1.4	0.35m
	21 mm	T1.4	0.31m
	25 mm	T1.4	0.31m
	29 mm	T1.4	0.45m
	35 mm	T1.4	0.36m
	40 mm	T1.4	0.41m
	50 mm	T1.4	0.50m
	65 mm	T1.4	0.43m
	75 mm	T1.4	0.70m
	100 mm	T1.4	0.90m
	135 mm	T1.4	1.25m



SPHERICAL LENSES CONTINUED

Lens	Focal Length	Aperture	Cfd
ZEISS Master Prime	12 mm	T1.3	0.40 m
	14 mm	T1.3	0.35 m
	16 mm	T1.3	0.35 m
	18 mm	T1.3	0.35 m
	21 mm	T1.3	0.35 m
	25 mm	T1.3	0.35 m
	27 mm	T1.3	0.35 m
	32 mm	T1.3	0.35 m
	35 mm	T1.3	0.35 m
	40 mm	T1.3	0.40 m
	50 mm	T1.3	0.50 m
	65 mm	T1.3	0.65 m
	75 mm	T1.3	0.80 m
	100 mm	T1.3	1.00 m
	135 mm	T1.3	0.95 m
	150 mm	T1.3	1.50 m
ZEISS Ultra Prime	R 8 mm	T2.8	0.35 m
	10 mm	T2.1	0.33 m
	12 mm	T2	0.30 m
	14 mm	T1.9	0.22 m
	16 mm	T1.9	0.25 m
	20 mm	T1.9	0.28 m
	24 mm	T1.9	0.30 m
	28 mm	T1.9	0.28 m
	32 mm	T1.9	0.35 m
	40 mm	T1.9	0.38 m
	50 mm	T1.9	0.60 m
	65 mm	T1.9	0.65 m
	85 mm	T1.9	0.90 m
	100 mm	T1.9	1.00 m
	135 mm	T1.9	1.50 m
	180 mm	T1.9	2.50 m
ZEISS Ultra Prime LDS	14 mm	T1.9	0.22 m
	16 mm	T1.9	0.25 m
	20 mm	T1.9	0.28 m
	24 mm	T1.9	0.30 m
	28 mm	T1.9	0.28 m
	32 mm	T1.9	0.35 m
	40 mm	T1.9	0.38 m
	50 mm	T1.9	0.60 m
	85 mm	T1.9	0.90 m
	100 mm	T1.9	1.00 m
	135 mm	T1.9	1.50 m
ZEISS High Speed	18 mm	T1.3	0.24 m
	25 mm	T1.3	0.24 m
	35 mm	T1.3	0.33 m
	50 mm	T1.3	0.67 m
	65 mm	T1.3	0.67 m
	85 mm	T1.3	0.87 m
ZEISS Standard	16 mm	T2.1	0.23 m
	20 mm	T2.1	0.20 m
	24 mm	T2.1	0.32 m
	28 mm	T2.1	0.27 m
	32 mm	T2.1	0.55 m
	40 mm	T2.1	0.89 m
	50 mm	T2.1	0.44 m
	85 mm	T2.1	0.88 m
	100 mm	T2.1	0.99 m
	135 mm	T2.1	1.46 m



FISHEYE LENSES / SUPER WIDE ANGLE PRIMES

Lens	Focal Length	Aperture	Cfd
VANTAGE Super-Fisheye	6 mm 7.2 mm	T2.8 T3.3	0.27 m 0.27 m
CENTURY Nikon Fisheye	8 mm 9.6 mm	T2.8 T3.3	0.24 m 0.25 m
OPTAR Fisheye – Fix Focus	9 mm	T2.5	1.30 m
CENTURY Tégéa Wide Angle Attachment	9.8 mm gives 6.8 mm	T2.3 T2.3	0.20 m 0.20 m
ZEISS	10 mm	T2.1	0.33 m
VANTAGE	12 mm 14 mm	T2 T2	0.26 m 0.25 m
LAOWA	L F 12 mm	T2.9	0.18 m



TELEPHOTO

Lens	Focal Length	Aperture	Cfd
CENTURY Canon	200 mm 300 mm 400 mm 500 mm 800 mm	T2 T2.8 T2.8 T4.5 T5.6	2.60 m 2.80 m 3.60 m 5.00 m 14.00 m
CENTURY	1000 mm*	T5.6	14.00 m
CENTURY Nikon	200 mm 300 mm 400 mm 300 mm 600 mm	T2 T2.8 T2.8 T2 High Speed T4	2.45 m 3.60 m 3.60 m 3.90 m 6.50 m

* 2:1, 2.40:1



ZOOMS

Lens	Focal Length	Aperture	Cfd
ANGÉNIEUX Optimo	15-40 mm	T2.6	0.60 m
	28-76 mm	T2.6	0.60 m
	45-120 mm	T2.8	1.00 m
	17-80 mm	T2.2	0.61 m
	24-290 mm	T2.8	1.20 m
ANGÉNIEUX ANGÉNIEUX HR	17-102 mm	T2.9	0.75 m
	25-250 mm	T3.5	1.70 m
Mesmerizer	for 17-102 mm & 25-250 mm HR	+1 Stop +1 Stop	0.75 m 1.70 m
COOKE S4	15-40 mm	T2	0.43 m
COOKE Varo-Panchro	20-60 mm	T3.1	0.65 m
COOKE Varotal Mk2	25-250 mm	T3.9	1.60 m
ARRI/FUJINON Alura	15.5-45 mm	T2.8	0.60 m
	18-80 mm	T2.6	0.70 m
	30-80 mm	T2.8	0.60 m
	45-250 mm	T2.6	1.20 m



ANGÉNIEUX
Optimo 15-40mm/T2.6



ANGÉNIEUX
Optimo 17-80mm/T2.2



ANGÉNIEUX
Optimo 24-290mm/T2.8



COOKE
S4 Zoom Lens 15-40mm/T2



ARRI/FUJINON
Alura Zoom 18-80mm/T2.6



ARRI/FUJINON
Alura Zoom 15.5-45mm/T2.8



ARRI/FUJINON
Alura Zoom 45-250mm/T2.6

ZOOMS CONTINUED

Lens	Focal Length	Aperture	Cfd
FUJINON Premista	28-100 mm 80-250 mm	T2.9 T2.9-3.5	0.80 m 1.50 m
HAWK Super Wide Zoom	10-24 mm*	T2.5	0.25 m
HAWK Telephoto Zoom	100-300 mm 150-450 mm	T2.2 T2.8	3.00 m 3.00 m
VANTAGE Lightweight Zoom	17-35 mm	T2.8	0.28 m
NIKON Zoom	70-200 mm	T2.8	1.40 m
CENTURY Minolta Zoom	28-70 mm	T3	0.88 m
OPTAR Lightweight Zoom	25-80 mm	T3.3	1.00 m
ZEISS LWZ-1	15.5-45 mm	T2.6	0.45 m
ZEISS VP1	16-30 mm	T2.2	0.58 m
ZEISS VP2	29-60 mm	T2.2	0.78 m
ZEISS VP3	55-105 mm	T2.2	0.79 m

* 2:1, 2.40:1



CONVERTERS / EXTENSIONS

Manufacturer	Item	Optical power
VANTAGE	Reducer	0.7x
Angenieux Optimo	Extender	1.4x
CENTURY	Extender Extender	1.4x 2x
CENTURY Set of Extension Tubes PL to PL		25 mm/50 mm
IB/E PLx2 S35	Extender	2x
IB/E PLx2 VV	Extender	2x
IB/E S35xVV	Expander	1.66x
StarKish Xpander	Expander	1.15x
Musashi	Expander	1.18x

MACRO LENSES

Lens	Focal Length	Aperture	Cfd
ARRI Macro	16 mm	T2.1	0.15 m
	24 mm	T2.1	0.17 m
	32 mm	T2.1	0.19 m
	40 mm	T2.1	0.24 m
	50 mm	T3	0.20 m
	100 mm	T3	0.35 m
	200 mm	T4.3	0.49 m
ZEISS Master Macro	100 mm	T2	0.49 m
VANTAGE LEITZ Macro	15 mm	T3.5	0.16 m
	19 mm	T2.8	0.14 m
	24 mm	T2.8	0.14 m
	27 mm	T2.8	0.15 m
	35 mm	T2.8	0.17 m
	50 mm	T2.8	0.23 m
	60 mm	T2.8	0.24 m
	90 mm	T2.8	0.34 m
	135 mm	T2.8	0.55 m
	180 mm	T2.8	0.78 m
ISCO SPECIMAGINE® Long Distance Macro System	Magnification 1.6:1 – 10:1	T22	

VANTAGE
Reducer



MUSASHI
Expander



ARRI
Macro 50 mm/T3



VANTAGE LEITZ
Macro 27 mm/T2.8



VANTAGE LEITZ
Macro 50 mm/T2.8



ZEISS
Master Macro 100 mm/T2



ISCO SPECIMAGINE
Long Distance Macro System



SPECIALTY LENSES & OPTICAL TOOLS

Lens	Focal Length	Aperture	Cfd
CLAIRMONT Swing/Shift System	14 mm	T2.8	0.18 m
	18 mm	T3.8	0.18 m
	24 mm	T3.8	0.18 m
	35 mm	T3.2	0.19 m
	50 mm	T4	0.28 m
	80 mm	T2.8	0.34 m
	110 mm	T2.4	0.58 m
ARRI Shift & Tilt Bellows System	18 mm	T3.8	0.15 m
	20 mm	T2.8	0.18 m
	24 mm	T4	0.22 m
	45 mm	T2.8	0.37 m
	60 mm	T2.8	0.36 m
	90 mm	T2.8	0.45 m
	110 mm	T2	0.62 m
	150 mm	T2.8	1.04 m
Retro-Adapter/CFM-1 Remote Focus Motor			
VANTAGE Shift & Tilt Mesmerizer		+1 Stop	—
ARRI Tilt Focus	24 mm	T4	0.33 m
	45 mm	T2.8	0.28 m
	90 mm	T2.8	0.51 m
LENS BABIES PL System	30 mm	T2	0.30 m
	50 mm	T2	0.45 m
	80 mm	T2	0.72 m
LENS BABY Composer ProPL	35 mm	T2.5	0.19 m
	60 mm	T2.5	0.62 m
T-REX Superscope	5.5-20 mm	T7.1	0.15 m
	8-18 mm	T7.1	0.18 m
	17-36 mm	T7.1	0.14 m
	32-70 mm	T7.1	0.22 m
	60-125 mm	T7.1	0.39 m
T-REX Superscope HS Leica Optics No Zoom Function	10 mm	T5.6	0.14 m
	14 mm	T5.6	0.14 m
	18 mm	T5.6	0.14 m
	24 mm	T5.6	0.14 m
	40 mm	T5.6	0.21 m
	80 mm	T5.6	0.44 m
Mini-T-REX/Skater Scope	PL to PL	T5.6	depends on lens
CPT Superscope Underwater Housings	10 mm	T5.7	0.07 m
	15 mm	T5.7	0.07 m
	25 mm	T5.7	0.08 m
	32 mm	T5.7	0.11 m
	40 mm	T5.7	0.14 m
	60 mm	T5.7	0.30 m
CPT Supersnorkel Underwater Housings	6 mm	T8	0.05 m
	10 mm	T8	0.06 m
	16 mm	T8	0.06 m
	20 mm	T8	0.07 m
	40 mm	T8	0.08 m
	60 mm	T8	0.14 m
Motor Drive			
Mesmerizer for Superscope or Supersnorkel		+1 Stop	—

CLAIRMONT
Swing/Shift System



ARRI
Shift & Tilt Bellows System



ARRI
Tilt Focus 45 mm
T2.8



LENS BABIES
PL System



T-REX HS
Superscope Leica Optics/T5.6



CPT
Superscope/T5.7



CPT
Supersnorkel/T8



SPECIALTY LENSES & OPTICAL TOOLS CONTINUED

Lens	Focal Length	Aperture	Cfd
LAOWA Macro Probe Cine	24 mm	T14	0.47 m
LAOWA Macro Periscope	24 mm	T14	0.20 m
VANTAGE 2 mm Mini Macro	40 mm	T22	0.01 m
CLAIRMONT Image Shaker			
CENTURY Series 2000 Super Low Angle Prism		+1/4 Stop	—
CENTURY S. 2000 Compact Low Angle Prism		+1/4 Stop	—
CENTURY Periscope Series 2000 Mk 2 PL to PL Straight Angle Attachment, Pair of 90° Rods for		T4	depends on lens
Swing/Shift or Lens Motors, Vantage Underwater Housing for Periscope, Underwater Sleeve for Periscope, Mesmerizer for Periscope			
NIKON for Eyemo (Nikon-Mount)	8 mm	T2.8	0.30 m
	12 mm	T2.8	0.25 m
	15 mm	T2.8	0.30 m
	20 mm	T2.8	0.25 m
	24 mm	T2	0.30 m
	28 mm	T2	0.25 m
	35 mm	T2	0.30 m
	50 mm	T2	0.60 m
ZEISS Compact for Eyemo (ARRI-Standard-Mount)	16 mm	T2.2	0.25 m
	24 mm	T2.2	0.35 m
	32 mm	T2.2	0.60 m
	50 mm	T2.2	1.00 m
	85 mm	T2.2	2.00 m
	135 mm	T4	1.20 m

LAOWA


Macro Probe Cine & Periscope 24mm/T14

**VANTAGE**

2 mm Mini Macro/T22

**CLAIRMONT**

Image Shaker

**CENTURY**Series 2000 –
Super Low
Angle Prism**CENTURY**Series 2000 –
Compact Low
Angle Prism

16 mm FORMAT LENSES

Lens	Focal Length	Aperture	Cfd
HAWK® V-Lite16 Anamorphic 1.3x	14 mm	T1.5	0.80 m
	18 mm	T1.5	1.00 m
	24 mm	T1.5	1.00 m
	28 mm	T1.5	1.00 m
	35 mm	T1.5	1.00 m
CINAR Fisheye	4 mm	T2.4	0.24 m
	5 mm	T2.4	0.15 m
CENTURY Super Wide Angle	6 mm	T1.9	0.28 m
CINAR	7 mm	T1.3	0.20 m
	8 mm	T1.3	0.25 m
	35 mm	T1.3	0.24 m
ZEISS Highspeed	9.5 mm	T1.3	0.24 m
	12 mm	T1.3	0.20 m
	16 mm	T1.3	0.20 m
	25 mm	T1.3	0.25 m
	50 mm	T1.3	0.69 m
ZEISS Ultra 16	12 mm	T1.3	0.30 m
	14 mm	T1.3	0.30 m
CANON Zooms	7-63 mm	T2.6	0.58 m
	11-165 mm	T2.5	0.97 m
CENTURY S16 Extender	Optical Power 2x		



VINTAGE LENSES

Lens	Focal Length	Aperture	Cfd
COOKE Speed Panchro by MOY	18 mm	T2.2	0.18 m
	25 mm	T2.2	0.20 m
	32 mm	T2.3	0.20 m
	40 mm	T2.3	0.21 m
	50 mm	T2.3	0.30 m
	75 mm	T2.3	0.38 m
	100 mm	T2.8	0.39 m
	152 mm	T3.2	0.62 m
	203 mm	T4.5	0.94 m
COOKE Speed Panchro by TLS	18 mm	T2.2	0.18 m
	25 mm	T2.2	0.16 m
	32 mm	T2.3	0.22 m
	40 mm	T2.3	0.32 m
	50 mm	T2.3	0.38 m
	75 mm	T2.3	0.70 m
	100 mm	T2.8	0.65 m
VANTAGE Nikkor by MOY	15 mm*	T3.8	0.14 m
	18 mm*	T3.8	0.15 m
	20 mm*	T2.8	0.18 m
	24 mm	T2.2	0.17 m
	28 mm	T2.8	0.19 m
	35 mm	T1.5	0.18 m
	50 mm	T1.4	0.22 m
	85 mm	T1.4	0.41 m
	105 mm	T2	0.50 m
	135 mm	T2	0.80 m
	180 mm	T2.8	1.30 m
CANON K-35 by TLS	18 mm	T1.5	0.29 m
	24 mm	T1.5	0.29 m
	35 mm	T1.3	0.30 m
	55 mm	T1.3	0.55 m
	85 mm	T1.3	0.84 m
CANON K-35 Macro Zoom Macro Zoom Anamorphic	25-120 mm	T2.8	0.35 m
	50-240 mm	T4	0.35 m
KINOPTIK Paris by MOY	18 mm	T2.5	0.20 m
	25 mm	T2.5	0.20 m
	35 mm	T2.4	0.20 m
	40 mm	T2.4	0.20 m
	50 mm	T2.5	0.25 m
	75 mm	T2.5	0.30 m
	100 mm	T2.5	0.30 m
	150 mm	T2.8	0.40 m

* for LF remove ring



COOKE

Speed Panchro by Moy 32 mm/T2.3

COOKE

Speed Panchro by TLS 32 mm/T2.3

VANTAGE

Nikkor Moy 15 mm/T3.8

CANON

K-35 by TLS 18 mm/T1.5

CANON

25-120 mm/T2.8

Macro Zoom

KINOPTIK

50 mm/T2.5

VINTAGE LENSES CONTINUED

Lens	Focal Length	Aperture	Cfd
BAUSCH & LOMB Super Baltar by TLS	25 mm	T2.3	0.20 m
	35 mm	T2.3	0.20 m
	50 mm	T2.3	0.23 m
	75 mm	T2.3	0.36 m
	100 mm	T2.3	0.43 m
KOWA Cine Prominar by TLS	20 mm	T2.6	0.25 m
	25 mm	T2.3	0.28 m
	32 mm	T2.3	0.25 m
	40 mm	T2.3	0.33 m
	50 mm	T2.3	0.50 m
	75 mm	T2.3	0.75 m
	100 mm	T2.6	1.00 m
CINAR – uncoated	14 mm	T2	0.25 m
ZEISS Superspeeds uncoated	18 mm	T1.3 +1/4 Stop	0.24 m
	25 mm	T1.3 +1/4 Stop	0.24 m
	35 mm	T1.3 +1/4 Stop	0.33 m
	50 mm	T1.3 +1/4 Stop	0.67 m
	85 mm	T1.3 +1/4 Stop	0.87 m
ANGÉNIEUX – uncoated Zooms	20-120 mm	T2.9 +1/4 Stop	1.00 m
	25-250 mm	T3.9 +1/4 Stop	1.68 m
SOM Berthiot	38-155 mm	T4.7	2.00 m
KOWA Anamorphic by P+S	40 mm	T2.3	0.90 m
	50 mm	T2.3	0.90 m
	75 mm	T2.8	1.00 m
	100 mm	T3.4	1.50 m
ARRI Ultrascop Anamorphic (for special effects)	40 mm	T2	1.00 m
	50 mm	T2	1.60 m
	85 mm	T4	2.00 m
	135 mm	T4	2.00 m
LOMO-Scope Anamorphic (for special effects) BNCR-Mount	35 mm	T2.9	1.00 m
	50 mm	T2.5	1.00 m
	80 mm	T2.3	1.00 m
	150 mm	T3.7	2.00 m

BAUSCH & LOMB
Super Baltar by TLS 35 mm/T2.3



KOWA
Cine Prominar 40 mm/T2.3



ZEISS
Superspeed uncoated 50 mm/T1.3



KOWA
Anamorphic 50 mm/T2.3



ARRI
Ultrascop 40 mm/T2



DIOPTERS & FILTERS

Manufacturer	Item
SCHNEIDER Diopter	Diopters unmounted Split Diopters
VANTAGE Diopters	Slide Diopter® Slender Diopter® Spot Diopter® Squeeze Diopter® Strip Diopter®
VANTAGE Filters	Pola Frame XL® Bethke Effect® Glare Effect® Blue-Vision®EXP White-Vision®EXP

More than 7500 Filters & Diopters in stock

